



Superior height safety systems.

# Engineered Ladder Solutions .



# Single Ladders

Our single ladder ranges are designed for maximum safety when working at heights.

Branach single ladders are durable, repairable and use our strongbox construction technology, which provides dramatic rigidity and greatly reduces twist and sway. In a range of sizes and with an array of accessories, they are extremely customisable.

## Features

- 1 **Lightweight** and **effortless action** to deploy
- 2 Flat D rungs provide **safety** and **comfort** to the height worker
- 3 Complies to AS/NZ 1892.3 1996  
ANSI-ASC A 14.5-2007





## Specifications

### FND

#### PowerMaster Single

Available in two widths: Fly 365mm or Base 450mm

Model			Fly / Base 
<b>FND 2.4</b>	2.40 m	160 kg	5.6 kg / 5.7 kg
<b>FND 3.0</b>	3.00 m	160 kg	7.1 kg / 7.2 kg
<b>FND 3.6</b>	3.60 m	160 kg	8.6 kg / 8.7 kg
<b>FND 4.2</b>	4.20 m	160 kg	11.5 kg / 12.1 kg
<b>FND 4.8</b>	4.80 m	160 kg	13.5 kg / 13.8 kg
<b>FND 5.4</b>	5.40 m	160 kg	14.9 kg / 15.2 kg
<b>FND 6.0</b>	6.00 m	160 kg	15.8 kg / 16.3 kg

### FNF

#### CorrosionMaster Single

Available in two widths: Fly 365mm or Base 450mm

Model			Fly / Base 
<b>FNF 2.4</b>	2.40 m	160 kg	6.2 kg / 6.6 kg
<b>FNF 3.0</b>	3.00 m	160 kg	7.9 kg / 8.3 kg
<b>FNF 3.6</b>	3.60 m	160 kg	9.6 kg / 9.9 kg
<b>FNF 4.2</b>	4.20 m	160 kg	12.8 kg / 13.3 kg
<b>FNF 4.8</b>	4.80 m	160 kg	14.6 kg / 15.0 kg
<b>FNF 5.4</b>	5.40 m	160 kg	16.0 kg / 16.5 kg

-  Closed height
-  Extended height
-  Height
-  Maximum load rating
-  Weight